



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/586,869	06/05/2000	Philip Victor Harman	18193.16.0	7648

22907 7590 11/04/2003

BANNER & WITCOFF
1001 G STREET N W
SUITE 1100
WASHINGTON, DC 20001

EXAMINER

HESELTIME, RYAN J

ART UNIT	PAPER NUMBER
----------	--------------

2623

DATE MAILED: 11/04/2003

8

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/586,869

Applicant(s)

HARMAN, PHILIP VICTOR

Examiner

Ryan J Hesselline

Art Unit

2623

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11 August 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-42 is/are pending in the application.
- 4a) Of the above claim(s) 24-26 and 36-42 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-23 and 27-35 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 05 June 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☒ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Election/Restrictions

1. Applicant's election without traverse of group I (claims 1-23 and 27-35) in Paper No. 7 filed August 11, 2003 is acknowledged.

Priority

2. Acknowledgment is made of applicant's claim for foreign priority based on applications filed in Australia on December 5, 1997 and April 8, 1998.

Specification

3. This application does not contain an abstract of the disclosure as required by 37 CFR 1.72(b). An abstract on a separate sheet is required.

Claim Objections

4. Claim 3 is objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim must refer to other claims only in the alternative. See MPEP § 608.01(n). Accordingly, the claim has not been further treated on the merits.
5. Claim 34 is objected to because of the following informalities: the last line of the claim, line 4, ends in a semicolon (";") and should end in a period ("."). Appropriate correction is required.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 2623

7. Claims 1, 11, 13, 15, 18, 27, 28, 34, and 35 are rejected under 35 U.S.C. 102(b) as being anticipated by Geshwind et al. (USPN 4,925,294, newly cited), hereafter Geshwind.

8. Regarding claim 1, Geshwind discloses a method of producing a depth map for use in the conversion of 2D images into stereoscopic (3-D) images (column 3, line 2-16) including the steps of: identifying at least one object (image element) within a 2D image (column 3, line 23-28); allocating said or each object with an identifying tag (background 31 and 41; circles 32 and 42; squares 33 and 43; Figure 1; column 3, line 17-28); allocating said or each object with a depth tag (depth position information; column 4, line 52-66); and determining and identifying an outline for said or each object (column 4, line 23-33, 44-49).

9. Regarding claim 11, Geshwind discloses that the depth tag includes a color code (column 7, line 12-27; column 8, line 1-5).

10. Regarding claim 13, Geshwind discloses that said depth tag is a numerical value (depth position information in the third dimension; column 4, line 52-55).

11. Regarding claim 15, Geshwind discloses that said at least one object is further divided into a plurality of segments, each segment being assigned a depth tag (column 5, line 1-15).

12. Regarding claim 18, Geshwind discloses tracking the or each object (image element) on successive frames of the image, and determining and assigning depth tags for the object in each respective frame (column 5, line 16-27).

13. Regarding claim 27, Geshwind discloses a method of encoding a depth map for use in the conversion of 2D images into stereoscopic (3-D) images (column 3, line 2-16) including: allocating an object identifier to an object (background 31 and 41; circles 32 and 42; squares 33

Art Unit: 2623

and 43; Figure 1; column 3, line 17-28); allocating said object with a depth tag (depth position information; column 4, line 52-66); and defining the object outline (column 4, line 23-33, 44-49).

14. Regarding claim 28, Geshwind discloses that said object outline is defined by a series of x,y coordinates (position information; column 4, line 23-31), each x,y coordinate being separated by a curve (inherent for a graphic input table and stylus provided to indicate the outline of the image elements).

15. Regarding claim 34, Geshwind discloses that the encoding of the depth tag of said object includes: allocating a type of depth (uniform depth or different portions of single element given different depths; column 4, line 67-column 5, line 15); and allocating a depth for the object (column 4, line 52-55).

16. Regarding claim 35, Geshwind discloses that the type of depth includes a single value (depth position information in the third dimension; column 4, line 52-55). It is noted that claim 35 also claims that the type of depth includes linear ramp *or* radial ramp (emphasis added), since these elements are referred to in the alternative, any one element satisfies the claim, which is shown above. In addition, Geshwind discloses that a non-uniform depth may be assigned to different portions of a single image element (column 5, line 1-15) and it would be obvious to use a linear or radial ramp for this function (if these limitations were separately claimed).

Claim Rejections - 35 USC § 103

17. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

18. Claims 2, 5, 6, 32, and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Geshwind as applied to claims 1 and 27 above, and further in view of Miyakawa et al. (USPN 4,783,829, newly cited), hereafter Miyakawa.

19. Regarding claim 2, Geshwind discloses that the object outline is defined by a series of coordinates (position information), which obviously includes the drawing of curves to outline objects with the graphic input tablet and stylus (column 4, line 23-31), but does not explicitly disclose that the outline is defined by geometric shapes. Miyakawa discloses a pattern recognition apparatus wherein the outline of an object region is approximated by a polygon shape (column 3, line 53-62). It would have been obvious to one of ordinary skill in the art at the time the invention was made to define the outline by geometric shapes as taught by Miyakawa in order to allow pattern region information for a large amount of data to be highly compacted and the rotational pattern matching can be performed at high speed because the attitude rotation of the pattern is carried out by transforming the vertex coordinates of the polygon (column 2, line 39-50).

20. Regarding claim 5, Geshwind discloses that individual image elements are outlined by a human operator using a graphic input tablet and stylus, but does not explicitly disclose that determining the outline includes tracing the object pixel by pixel. The examiner takes Official Notice that determining the outline of an object by tracing the object pixel by pixel using a graphic input tablet and stylus, or a conventional computer mouse or other coordinate input device is well known in the art. It would have been obvious to one of ordinary skill in the art at the time the invention was made to trace the object pixel by pixel as taught by Geshwind in order

Art Unit: 2623

to accurately determine the outline of the object so that it can be extracted or otherwise processed.

21. Regarding claim 6, Miyakawa discloses that the step of determining the outline further includes using straight (segmented) lines to approximate the outline of the object (column 4, line 43-46; column 5, line 48-55).

22. Regarding claim 32, Miyakawa discloses that said object outline is defined by at least one geometric shape (polygon approximation; see above discussion of claim 2).

23. Regarding claim 33, Miyakawa discloses that said at least one geometric shape (polygon) is defined by the form of the shape (column 5, line 20-30) and the parameters (center of gravity, moment axis, etc.) of the shape (column 11, line 46-50).

24. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Geshwind in view of Miyakawa as applied to claims 1 and 2 above, and further in view of Eleftheriadis et al. (USPN 6,055,330, newly cited), hereafter Eleftheriadis. Regarding claim 3, Geshwind does not explicitly disclose that the identifying tag is a unique numerical number. Eleftheriadis discloses methods and apparatus for performing digital image and video segmentation and compression using 3-D depth information wherein each object mask is labeled with a different number which uniquely identifies an object (column 18, line 36-44). It would have been obvious to one of ordinary skill in the art at the time the invention was made to allocate each object with an identifying tag using a unique numerical number as taught by Eleftheriadis in order to uniquely identify the object (column 18, line 36-38).

Art Unit: 2623

25. Claims 4 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Geshwind in view of Miyakawa as applied to claims 1 and 2 above, and further in view of Hsu (USPN 5,640,468, newly cited).

26. Regarding claim 4, Geshwind does not disclose that identifying said at least one object includes the step of comparing said 2D image with a library of generic scenes. Hsu discloses a method for identifying objects and features in an image including a set of self-determining and self-calibrating segmentation schemes and an image library comprising a mixture of model-based images and real-world images, known as a knowledge base or library (column 7, line 3-8) which are used to recognize objects by matching an observed (real world) image against a set of preset models (a library) which may be generate from a set of physical models or a set of wire frame models (column 15, line 50-67). It would have been obvious to one of ordinary skill in the art at the time the invention was made to identify said at least one object by comparing said 2D image with a library of generic scenes as taught by Hsu in order to provide a library construction scheme that is adaptable to both featureless and full/partial shape based object recognition scenarios as well as providing a dual library (depth and height) to perform general 3-D object recognition using any type of image (column 3, line 58-63).

27. Regarding claim 9, Hsu discloses that the step of determining the outline further includes comparing the object with a library of curves (linear feature, edge-based pixels; column 14, line 2-11) and/or generic or geometric shapes (column 6, line 45-51) to approximate the outline (column 7, line 3-8; column 15, line 50-67).

Art Unit: 2623

28. Claims 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Geshwind in view of Miyakawa as applied to claims 1 and 2 above, and further in view of Katayama et al. (USPN 6,404,936, newly cited), hereafter Katayama.

29. Regarding claim 7, Geshwind does not disclose that the step of determining the outline further includes using curve approximations to approximate the outline of the object. Katayama discloses a subject image extraction method and apparatus wherein the surrounding portion of a contour is subjected to fitting using a smooth curve (column 8, line 12-19). It would have been obvious to one of ordinary skill in the art at the time the invention was made to approximate the outline of an object using curve approximation as taught by Katayama in order to avoid cumbersome operations of manually drawing a smooth curve of a complicated shape using a mouse or the like (column 1, line 26-39).

30. Regarding claim 8, Katayama discloses determining an outline using Bezier curves to approximate the outline of the object (column 8, line 12-19).

31. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Geshwind in view of Miyakawa in view of Hsu as applied to claim 9 above, and further in view of Katayama.

32. Regarding claim 10, Hsu does not explicitly disclose that the curve and/or generic or geometric shape are scaled to best fit the object. Katayama discloses that the surrounding portion of the contour is subjected to fitting using a smooth curve on the basis of the information of the contour generated by region growth (column 8, line 12-19), and if the generated contour has portions different from the subject contour, these portions are corrected by evaluating a degree of matching between the fitting curve and the subject contour and adding intermediate points to correct the curve fit (column 9, line 5-23). It would have been obvious to one of

Art Unit: 2623

ordinary skill in the art at the time the invention was made to scale the curve and/or generic or geometric shapes to best fit the object as taught by Katayama in order to avoid having to erase the contour and manually redraw a new contour as well as the cumbersome operations of manually drawing a smooth curve of a complicated shape using a mouse or the like (column 1, line 26-39).

33. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Geshwind as applied to claim 11 above, and further in view of Nourbakhsh et al. (USPN 5,793,900, cited on applicant's IDS), hereafter Nourbakhsh.

34. Regarding claim 12, Geshwind does not disclose that white represents objects relatively close to the viewer, and black indicates objects relatively distant from the viewer. Nourbakhsh discloses generating categorical depth maps using passive defocus sensing wherein a depth map is an array of categorical depth values, each value indicating the depth of the scene for a given region such that depth values of 2, 1, and 0 correspond to close, medium, and far, respectively (column 5, line 9-15). Nourbakhsh further discloses that close regions are lightly shaded, medium regions are medium shaded, and far regions are darkly shaded (Figures 2-7; column 5, line 20-25). It would have been obvious to one of ordinary skill in the art at the time the invention was made to represent objects relatively close to the viewer as white, and objects relatively distant from the viewer with black as taught by Nourbakhsh in order to give the viewer an impression of depth using varying pixel intensities since a brighter portion logically indicates a closer portion which is easier to see, and a darker portion indicates a distant portion which is more difficult to see (column 5, line 20-31).

35. Claims 14, 16, 17, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Geshwind as applied to claims 1, 13, and 15 above.

36. Regarding claim 14, Geshwind does not explicitly disclose that said depth tag is a numerical value that ranges from 0 to 255. The examiner takes Official Notice that encoding a numerical value that ranges from 0 to 255 or any other range for that matter is common and well known in the art of digital encoding schemes such as, in this case, an 8-bit binary number. It would have been obvious to one of ordinary skill in the art at the time the invention was made to define said depth tag as a numerical value that ranges from 0 to 255 in order to encode the depth tag as an 8-bit binary number.

37. Regarding claims 16 and 17, Geshwind does not disclose that the variation in depth is defined by a linear or radial ramp function, but does disclose that different portions of a single image element may be given different depth designations with the computer interpolating depth coordinates over the entire element (column 5, line 1-15). The examiner takes Official Notice that using linear or radial ramp functions in order to introduce variations in an image is well known in the art. It would have been obvious to one of ordinary skill in the art at the time the invention was made to define the variation in depth by a linear or radial ramp function in order to create uniformly changing variations in the depth of a single image element.

38. Regarding claim 23, Geshwind does not disclose producing greyscale images of 80x60x8 bit resolution of each 2D image, but the specific dimensions of produced images depends on the design and requirements of the particular system. It would have been obvious to one of ordinary skill in the art at the time the invention was made to produce grayscale images of 80x60x8 bit

Art Unit: 2623

resolution of each 2D image in order to satisfy specific design requirements of the particular system.

39. Claims 19-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Geshwind as applied to claim 1 above, and further in view of Tseng et al. (WO 97/04404, cited on applicant's IDS), hereafter Tseng.

40. Regarding claim 19, Geshwind discloses that random noise may be added to the depth information to eliminate the appearance of flat objects moving in space and to help achieve greater realism (column 5, line 28-30), but does not explicitly disclose adding a texture bump map to the or each object. Tseng discloses multi-viewpoint digital video encoding wherein a first matrix manipulator forms a mesh or 3-D matrix by combining the image and the depth map including a corresponding texture map incorporating the intensity values for each coordinate (page 8, line 26-page 9, line 5). It would have been obvious to one of ordinary skill in the art at the time the invention was made to add a texture bump map to the, or each, object as taught by Tseng in order to eliminate the appearance of flat objects moving in space and to help achieve greater realism (Geshwind, column 5, line 28-30).

41. Regarding claim 20, Geshwind discloses that said map is defined by breaking the object into a plurality of components and assigning each component a separate depth tag (column 5, line 1-15).

42. Regarding claim 21, Tseng discloses that said texture bump map is defined by the luminance values of individual components of the object (page 9, line 2-5).

Art Unit: 2623

43. Regarding claim 22, neither Geshwind nor Tseng disclose that a texture bump map is defined by the chrominance, saturation, color grouping, reflections, shadows, focus and/or sharpness of individual components of the object, but since Tseng discloses that said bump map is defined by the luminance of individual components of the object (see discussion of claim 21), it would have been obvious to one of ordinary skill in the art at the time the invention was made to define a texture bump map by the chrominance, saturation, color grouping, reflections, shadows, focus and/or sharpness of individual components of the object in order to eliminate the appearance of flat objects moving in space and to help achieve greater realism (Geshwind, column 5, line 28-30).

44. Claims 29 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Geshwind as applied to claim 28 above, and further in view of Katayama.

45. Regarding claim 29, Geshwind does not disclose that each said curve is stored in a library and allocated a unique number. Katayama discloses that the surrounding portion of a contour is subjected to fitting using a smooth curve on the basis of information of the contour generated by region growth (column 8, line 12-19). Katayama further discloses that an image is segmented before contour extraction, and contour extraction is done for an image in each segmented partial region (column 10, line 16-23), after which labels for identifying the segmented regions are given, and the labeled information is stored in a memory (column 10, line 58-64). Katayama does not explicitly disclose that each curve (segment) is allocated a unique number, but this is an obvious extension since each segmented region is labeled and stored which inherently include the contours extracted for each partial region. It would have been obvious to one of ordinary

Art Unit: 2623

skill in the art at the time the invention was made to allocate a unique number and store each curve in a library as taught by Katayama in order to segment an input image into a plurality of small regions and assign labels to the small regions in order to identify them (column 2, line 15-20), and to automatically correct contour points in units of labels such that no manual, complicated processing is required, and the contour can be easily corrected (column 2, line 35-40).

46. Regarding claim 31, Katayama discloses that each said curve is a Bezier curve (column 8, line 12-19).

47. Claim 30 is rejected under 35 U.S.C. 103(a) as being unpatentable over Geshwind in view of Katayama as applied to claims 28 and 29 above, and further in view of Azarbayejani et al. (USPN 5,511,153, newly cited), hereafter Azarbayejani.

48. Regarding claim 30, neither Geshwind nor Katayama disclose that said object outline also includes data on the orientation of each curve. Azarbayejani discloses a method and apparatus for three-dimensional, textured models from plural video images wherein an object is decomposed into piecewise smooth surfaces which are obtained by segmenting the original video into bounded two-dimensional regions, each of which can be represented using a single parameterized surface including spatial location, orientation, and scale of the surface (column 10, line 28-47). It is further disclosed that tracked feature points within polygons representing the various surface elements are used to compute vectors that define the spatial depth and orientation of a plane that includes the polygon (column 10, line 57-65). It would have been obvious to one of ordinary skill in the art at the time the invention was made to include data on the orientation of

Art Unit: 2623

each curve in said object outline as taught by Azarbayejani in order to generate three-dimensional computer models from video without prior knowledge of camera geometry, thereby obviating the need for a calibrated camera (column 3, line 14-17).

Conclusion

49. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- USPN 5,202,928 to Tomita et al. discloses a surface generation method from boundaries of stereo images.
- USPN 5,109,425 to Lawton discloses a method and apparatus for predicting the direction of movement in machine vision including motion-parallax and depth maps.
- USPN 5,710,875 to Harashima et al. discloses a method and apparatus for processing 3-D multiple view images formed of a group of images obtained by viewing a 3-D object from a plurality of positions.
- USPN 6,031,564 to Ma et al. discloses a method and apparatus for monoscopic to stereoscopic image conversion by outlining objects and adding depth information.
- USPN 6,181,815 to Marugame discloses a subject image extraction device including outlining and labeling.
- USPN 6,504,569 to Jasinski et al. discloses 2-D extended image generation from 3-D data extracted from a video sequence.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan J Hesseltine whose telephone number is 703-306-4069.

The examiner can normally be reached on Monday - Friday, 8:30 AM - 5 PM.

Art Unit: 2623

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amelia Au can be reached on 703-308-6604. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-306-0377.

rjh
October 28, 2003



JINGGEWU
PRIMARY EXAMINER